



POOL BREAKDOWN



ROYAL SANDS ~ PS 12' ROUND 52'' RESIN TOP RAIL - RESIN VERTICAL

✓	QTY	CARTON NUMBER	CARTON DESCRIPTION
	1	5-9912-835	ASSEMBLY PACK CARTON
	1	5-9801-835	TOP RAIL PACK CARTON
	1	5-9710-913	VERTICAL PACK CARTON
	1	5-0595-012	SIDEWALL CARTON
	1	5-9999-310	TOP CONNECTOR CARTON
	1	5-9110-835	SKIRT PACK CARTON



CARTON BREAKDOWN

✓	ITEM	QTY	PART NUMBER	DESCRIPTION
ASSEMBLY PACK # 5-9912-835				
	1	8	583-1070	Stabilizer Rail (Large)
	2	8	583-1071	Stabilizer Rail (Small)
	3	10	580-2407	Bottom connector
	4	10	580-2408	Vertical end cap
	5	24	545-1001	Plastic coping
	6	10	589-1133P	Bottom rail
	11	100	330-1127	Sheet metal screw, #10 x 1/2"
	12	10	580-2397	Vertical tab
	13	10	330-1075	Pan head screw #14 x 1/2"
	—	1	573-5762	Pool Parts List
	—	1	573-4047	Installation Instructions
	—	1	— — —	Warranty Card
	—	1	573-3169	"Safety First" Booklet

TOP RAIL PACK # 5-9801-835				
	14	10	587-1961	Top Rail

VERTICAL PACK # 5-9710-913				
	15	10	341-1525	Vertical

TOP CONNECTOR PACK # 5-9999-310				
	16	10	340-2799	Top Connector

SKIRT PACK # 5-9110-835				
	17	10	340-2800	Skirt
	18	10	510-1001	#10 x 1-1/2" Slotted Pan head screw

SIDEWALL CARTON # 5-0595-012				
	29	1	5-0595-012	Sidewall
	30	1	535-1442	Protective Strip
	31	26	321-1029	1/4-20 Hex Flange Locknut
	32	26	330-1280	1/4-20 x 1/2" Grade 5 Bolt
	—	1	560-1055	Warning Sign
	—	1	573-3169	"Safety First" Booklet
	—	1	573-3498	Safety DVD

Exploded view diagram of a door assembly. The diagram shows the door panel (1) with a liner (29), hinges (11), handle (16), and various mounting brackets and screws. A circular inset shows the 'END VIEW' of the door edge.

REMOVE PRIOR TO
INSTALLATION.
USE PLUG TO COVER
SCREW HOLE AFTER
INSTALLATION.

FRONT VIEW - SKIRT

Change of Design: The manufacturer (Hill) expressly reserves the right to change or modify the design and construction of any product in due course of their manufacturing procedures, without incurring any obligation to furnish or install such changes or modifications on products previously or subsequently sold.