# How to submit a claim:

MSpa USA service team new contact window:

#### **MSPA USA Warranty Center**

Address: 4956 W. 6200 S.

Unit # 312 Kearns, Utah 84118

#### **On-line Warranty registration:**

https://www.mspausa.com/apps/product-registration?form=warranty-claim

Toll free number: 1 (800) 969-1953 Email address: help@mspausa.com Website: https://www.mspausa.com

When contact the service center, please always provide below details to them:


- 1. Serial number, you may find serial no. on the back of controller near the warning area.
- 2.Purchase receipt
- 3. Photos or videos showing defect: The entire item to show how it was using, water capacity? Close-up and clear photos of the damage; The packaging if available.

Upon receipt the details, Mspa USA local service team will verify the problem and guide assembly support or parts sending support within 48 hours.


## Important Appendix: Tips to avoid returns due to assembly issue

#### How-to-assemble video from Mspa official website:

https://www.youtube.com/playlist?list=PL\_lyFeYZyITAypwEOARgLz0hfpRYVjvFV



Mspa tips & advice, how to operate, how to disassemble, how to maintenance: https://www.youtube.com/playlist?list=PL\_lyFeYZyITAqk\_mynkPHWV8wZ2XcXm4o



#### **Unser manual from Mspa official website:**

https://www.the-mspa.com/owners-manual/

### FAQs from Mspa official website:

https://www.the-mspa.com/faq-warranty/#faq-top

#### Guides on the instruction manual:



MSpa Setup Videos



MSpa Service Center List



MSpa Owners Manual (Multi-language)

# **TROUBLESHOOTING**

# ERROR CODE CHART

LED READING	CAUSE	SOLUTION
/ 888 / EEP	The Signal wire is loose	Contact local MSpa Service Center
	Communication failed	Contact local MSpa Service Center
F0	Water or ambient temperature is below 32°F (0°C)	Change the water
	or exceeds 122°F (50°C)	
	Temperature sensor failure	Contact local MSpa Service Center
F1	F1 immediately shows after pressing FILTER,	Clean the parts and tubes that the water
	HEATING or UVC	goes through
	F1 shows 15s after pressing FILTER, HEATING	Add more water to the minimum line
	or UVC	Clean the parts and tubes that water
		goes through
		Contact local MSpa Service Center